### création baumann

### **MYSTERY**

Dim-out fabric with texture; The newly developed quality is based on Phantom. Its aesthetic hallmark is the delicate mélange texture on the facing side. With its soft feel and textured look Mystery enriches the existing range of dimming fabrics. The pallet of 19 colours includes a few brightly coloured settings alongside a broad spectrum of neutral tones.









Use: Dim-out fabric

Number of colours: 19

Special colours: - from 400 m / 440 yds without surcharge.

Material: 100% Flameretardant polyester

Fabric width: 150 cm/59 inch/1.64 yard

Weight: 293 g/m<sup>2</sup>

Flame-retardant properties:

Additional use:

Care:





















Washing (length shrinkage): 0.5%

Dry cleaning (length shrinkage):  $1\,\%$ 

Sound absorption: Alpha value 0.85

Abrasion resistance: 28'000 Martindale

Pilling:

Light fastness: see downloads

Certificates / tests: Fire Test DIN 4102 B1 Fire Test Japan \*all testing reports can be Fire Test M1 downloaded from our website under product details Fire Test NFPA 701

Fire Test Norm BS 5867 Light transmission

Sound absorption ISO 354 / ISO 11654

Flow resistance DIN EN 29053 Lightfastness certificate

Special notes: - Optimal combination option with Sprint.

- Dim-out: The colours are grouped into three groups in accordance with the degree they cut out incoming light: light, regular and

dark.

# création baumann

## **MYSTERY**



#### Note:

### SYMBOLS AND PRODUCT INFORMATION

Product information		Material information	
Inherently flame retardant	Free from harmful substances / Oddy	AC	Acetate
		CA	Hemp
Width (cm)	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	со	Cotton
Can be railroaded (only valid for curtains)	light transmission level Tv, n-h	EA	Elasthan
		GL	Glass fibre
Has to be railroaded	light transmission level Tv. n-nn	LI	Linen
		MD	Modal
Must not be railroaded	light transmission level Tv, n-dif	WE	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI	Paper
Weight (g/m2)	UV transmission level Tuv	PL	Polyester
		PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
		PN	Polycarbonat
Piece dyed	solar reflection level Pe, n-h	PP	Polypropylene
		PU	Polyurethan
Knitted	solar absorption level Ae	RA	Ramie
		SE	Silk
Woven	Usable in a bathroom/wet room (Plissee)	SI	Silicone
		TR	Different material (wood, paper, feathers etc.)
Warp print	Stain resistant (Plissee)	VI	Viscose
Screen print/burnout	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	wm	Wool Mohair
		wv	Wool
Metalized on one side	Additional product information		
Pearl reflex			

#### SYMBOLS AND PRODUCT INFORMATION

### Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

Fabrics with very high lightfastness for indoor and outdoor use
Blackout BO
Reverso
Plisseé
Comb plisseé